

Technical drawing of a drainage channel cross-section. The channel is 28 cm wide and 10 cm high. It has a 2% slope on the left side and an 8% slope on the right side. The channel is 50 cm long. The drawing shows the channel's profile, the surrounding structure, and the slope of the ground surface.

7 cm	Nawierzchnia z płyt chodnikowych 50x50x7 cm
4 cm	Podsypka cementowo-piaskowa 1:4
12 cm	Kruszywo 0/2 f <sub>3</sub> stabilizowane cementem R <sub>m</sub> =2,5 MPa
	Nasyp uzupełniający zgodnie z PN-S-02205

**ARPOT**  
biuro projektowe

biuro projektowe  
**"ARPOT"**  
K.Grosiak, K.Potocki Sp.J.  
ul.Lubelska 7, 23-400 Biłgoraj

tel./fax:084 686 45 92; e-mail: sekretariat@arpot.pl; www.arpot.pl

<i>Inwestor</i>	Wspólnota mieszkaniowa Włosiankarska
<i>Lokalizacja inwestycji</i>	23-400 Biłgoraj, ul. Włosiankarska 15
<i>TEMAT</i>	<b>Drenaż opaskowy budynku przy ul. Włosiankarskiej 15 w Biłgoraju</b>
<i>Treść rysunku</i>	<b>SZCZEGÓŁ OPASKI PRZY BUDYNKU</b>

Nr zlecenia	Skala rys.	Branża	Stadium
58/2016	1:20	konstrukcyjna	<b>PB</b>

ZESPÓŁ PROJEKTOWY		
Wyszczególnienie	Imię, Nazwisko, Nr uprawnień	Podpis
Projektant	mgr inż. Kazimiera Grosiak nr uprawnień: LUB/0296/POOS/12	

Data opracowania	<b>07/2016</b>	Nr rys.	<b>K-3</b>
------------------	----------------	---------	------------